

**Michigan Quality Improvement Consortium
2017 Annual
Performance Measurement Report**

Table of Contents

Executive Summary	3-4
ADHD	5-6
Asthma	7-8
Bronchitis	9
Cardiovascular	10-17
Chronic Kidney Disease	18
Depression	19-20
Diabetes	21-29
Low Back Pain	30
Obesity/Overweight	
Adults	31
Children/Adolescents	32-34
Osteoporosis	35
Pharyngitis	36
Prenatal and Postpartum Care	37-38
Preventive Services	
Adults	39-46
Adolescents	47-53
Children	53-68
Substance Use	69-70
Tobacco Use	71-74

Executive Summary

For over 18 years, the Michigan Quality Improvement Consortium has been developing and maintaining evidence-based clinical practice guidelines for primary care providers. MQIC was established to provide practitioners across the state with one set of clinical guidelines, in which all participating health plans endorse the final recommendations outlined. This ensures providers are not having to conform to multiple guidelines issued by multiple organizations. Six Michigan health plans and several professional organizations participated in MQIC at inception, and today the consortium includes 13 plans. MQIC's health plans offer insurance in all 83 counties, and approximately 7,000,000 Michigan residents are covered by these plans.

Participating health plans and organizations:

Aetna Better Health of Michigan

Blue Care Network

Blue Cross Blue Shield of Michigan

Blue Cross Complete

HAP Midwest Health Plan

Harbor Health Plan

Health Alliance Plan

Meridian Health Plan

Michigan Association of Health Plans

Michigan Department of Health and Human Services

Michigan Osteopathic Association

Michigan State Medical Society

Molina Health Care

MPRO


Physicians Health Plan

Priority Health

Total Health Care

UnitedHealthcare Community

University of Michigan Health System




Currently, MQIC supports 31 guidelines. Recommendations for preventive services are outlined for all age groups, and other guidelines issued are for disease conditions such as diabetes, hypertension, lipid management, and more. MQIC guidelines recommend evidence-based services found to increase healthy outcomes and behaviors, and assist providers in meeting targets for quality improvement measures and programs.

MQIC provides a community result on a number of quality measures for commercial, Medicaid and Medicare product lines, and only report on measures in which recommendations are aligned in the MQIC guidelines. In order to meet accreditation standards, MQIC plans provide data to the National Committee for Quality Assurance using the HEDIS® measures set and specifications. Data includes members in the health plans' HMO and PPO populations, and the eligible population is a combined total of members across all MQIC health plans for each specific product line/measure. MQIC does not report either Special Needs Population or Marketplace member data.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

ADHD Medication Indicator Initiation Phase and Follow-up Visit


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	40.00%	50.55%
Medicaid	44.50%	51.28%

ADHD Medication Indicator Continuation and Maintenance Phase


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	46.50%	58.57%
Medicaid	54.50%	65.97%

Asthma Indicator
Asthma member with one preventive exam in reporting year


MQIC Community Rate
non-HEDIS 2017



Product	MQIC Best Practice
Commercial	96.50%
Medicaid	93.94%
Medicare	100%

Asthma Indicator ER visits/1000 Asthma Members


MQIC Community Rate
non-HEDIS 2017



Product	MQIC Best Practice
Commercial	15.87
Medicaid	73.62
Medicare	18.02

Acute Bronchitis Indicator Avoidance of Antibiotic Treatment in Adults


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	29.90%	25.83%
Medicaid	30.40%	37.91%

Cardiovascular Indicator Controlling High Blood Pressure


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	62.40%	74.70%
Medicaid	56.50%	67.15%
Medicare	69.60%	80.78%

Cardiovascular Indicator
 Males age 21-75 with Atherosclerotic Cardiovascular Disease
 Received Statin Therapy


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	n/a	86.52%
Medicaid	n/a	78.85%
Medicare	n/a	84.62%

Cardiovascular Indicator
 Males age 21-75 with Atherosclerotic Cardiovascular Disease
 Statin Therapy Adherence 80%


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	n/a	71.43%
Medicaid	n/a	81.82%
Medicare	n/a	80.33%

Cardiovascular Indicator
 Females age 40-75 with Atherosclerotic Cardiovascular Disease
 Received Statin Therapy


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	n/a	73.99%
Medicaid	n/a	72.98%
Medicare	n/a	76.95%

Cardiovascular Indicator
 Females age 40-75 with Atherosclerotic Cardiovascular Disease
 Statin Therapy Adherence 80%


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	n/a	66.20%
Medicaid	n/a	83.81%
Medicare	n/a	76.52%

Cardiovascular Indicator
 Total Females and Males with Atherosclerotic Cardiovascular Disease
 Received Statin Therapy


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	79.20%	82.67%
Medicaid	74.70%	76.39%
Medicare	77.30%	79.57%

Cardiovascular Indicator
 Total Females and Males with Atherosclerotic Cardiovascular Disease
 Statin Therapy Adherence 80%


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	69.80%	70.43%
Medicaid	60.90%	80.99%
Medicare	75.50%	78.61%

Cardiovascular Indicator Percent Members Diagnosed with Hypertension


MQIC Community Rate
non-HEDIS 2017



Product	MQIC Best Practice
Commercial	11.18%
Medicaid	8.75%
Medicare	40.20%

Chronic Kidney Disease Indicator
 % Diabetes or Hypertension members who had a
 Serum Creatinine Test (necessary for GFR)


MQIC Community Rate
 non-HEDIS 2017



Product	MQIC Best Practice
Commercial	96.59%
Medicaid	95.65%
Medicare	98.43%

Depression Indicator Effective Acute Phase Treatment


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	67.20%	74.75%
Medicaid	53.10%	74.52%
Medicare	69.40%	80.56%

Depression Indicator Effective Continuation Phase Treatment


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	50.90%	54.30%
Medicaid	38.00%	60.78%
Medicare	54.40%	64.97%

Diabetes Indicator HbA1c Testing


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	90.60%	93.43%
Medicaid	86.70%	92.15%
Medicare	93.50%	95.09%

Diabetes Indicator
HbA1c Poor Control > 9%
(lower rate is better control)


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	33.00%	23.11%
Medicaid	43.30%	31.93%
Medicare	26.30%	14.11%

Diabetes Indicator
HbA1c Control < 8%


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	56.00%	66.42%
Medicaid	47.10%	62.41%
Medicare	62.90%	77.89%

Diabetes Indicator
HbA1c Control < 7% (select population)


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	37.70%	45.07%
Medicaid	34.60%	46.90%

Diabetes Indicator Eye Exam (Retinal) Performed


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	53.60%	69.95%
Medicaid	54.90%	71.72%
Medicare	70.40%	82.73%

Diabetes Indicator Medical Attention for Nephropathy


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	90.20%	94.40%
Medicaid	89.90%	94.89%
Medicare	95.60%	97.08%

Diabetes Indicator
BP Control <140/90 mm Hg


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	61.60%	79.78%
Medicaid	59.70%	75.91%
Medicare	63.90%	80.59%

Diabetes Indicator
 Statin Therapy Received - Patient with Diabetes


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	60.20%	63.15%
Medicaid	60.20%	68.18%
Medicare	70.70%	71.53%

Diabetes Indicator
 Statin Therapy Adherence 80% - Patient with Diabetes


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	66.50%	70.03%
Medicaid	59.30%	78.93%
Medicare	75.30%	78.30%

Low Back Pain Indicator
 Proportion for whom Imaging Studies did not occur
 (within 28 days of diagnosis)


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	73.80%	79.95%
Medicaid	70.50%	78.39%

Overweight/Obesity Indicator Adult BMI Assessment


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	76.60%	96.67%
Medicaid	80.70%	97.14%
Medicare	94.20%	99.09%

Overweight/Obesity Indicator
BMI Assessment Ages 3-17 Years


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	65.20%	90.75%
Medicaid	69.10%	88.08%

Overweight/Obesity Indicator Counseling for Nutrition Ages 3-17 Years


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	60.80%	79.65%
Medicaid	65.30%	79.81%

Overweight/Obesity Indicator Counseling for Physical Activity Ages 3-17 Years


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	55.50%	77.13%
Medicaid	57.60%	73.72%

Osteoporosis Indicator
 Osteoporosis Management in Women Who Had a Fracture


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Medicare	41.90%	72.67%

Pharyngitis Indicator Appropriate Testing for Children with Pharyngitis


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	80.70%	87.70%
Medicaid	66.50%	78.49%

Prenatal and Postpartum Care Indicator Timeliness of Prenatal Care


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	85.10%	98.33%
Medicaid	81.70%	83.33%

Prenatal and Postpartum Care Indicator Postpartum Care Visit


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	74.10%	97.50%
Medicaid	63.70%	75.80%

Adult Preventive Services Indicator Breast Cancer Screening


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	72.67%	79.70%
Medicaid	58.90%	70.00%
Medicare	72.10%	84.75%

Adult Preventive Services Indicator Cervical Cancer Screening


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	74.30%	79.34%
Medicaid	58.00%	69.10%

Adult Preventive Services Indicator Chlamydia Screening in Women ages 21-24


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	53.50%	60.70%
Medicaid	62.20%	76.35%

Adult Preventive Services Indicator Colorectal Cancer Screening


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	62.00%	75.29%
Medicare	67.10%	81.75%

Adult Preventive Services Indicator
 Non-recommended PSA-based Screening in Older Men


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Medicare	31.30%	18.05%

Adult Preventive Services Indicator Flu Vaccinations for Adults Ages 18-64


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	48.10%	54.10%
Medicaid	38.60%	44.90%

Adult Preventive Services Indicator
Flu Vaccinations for Adults 65 and Older


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Medicare	71.10%	75.33%

Adult Preventive Services Indicator Pneumococcal Vaccination Status for Older Adults


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Medicare	74.00%	79.16%

Adolescent Preventive Services Indicator
Adolescent Well-Care Visits


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	47.70%	50.64%
Medicaid	50.60%	64.42%

Adolescent Preventive Services Indicator Chlamydia Screening in Women ages 16-20


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	42.50%	55.85%
Medicaid	53.90%	71.37%

Adolescent Preventive Services Indicator
 Non-recommended Cervical Cancer Screening in Adolescent Females


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	1.80%	0.32%
Medicaid	2.00%	0.97%

Adolescent Preventive Services Indicator Immunizations for Adolescents - Meningococcal


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	78.60%	93.67%
Medicaid	77.40%	92.94%

Adolescent Preventive Services Indicator
 Immunizations for Adolescents - Tdap


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	87.00%	92.94%
Medicaid	84.90%	92.21%

Adolescent Preventive Services Indicator Immunizations for Adolescents - Combination 1


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	77.00%	92.46%
Medicaid	75.10%	91.24%

Pediatric Preventive Services Indicator
Well Child Visits First 15 months (6+ visits)


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	79.20%	88.20%
Medicaid	61.70%	74.88%

Pediatric Preventive Services Indicator
Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	76.80%	85.67%
Medicaid	72.20%	79.08%

Pediatric Preventive Services Indicator
Childhood Immunization Status - DTaP


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	85.30%	91.84%
Medicaid	76.80%	81.94%

Pediatric Preventive Services Indicator
Childhood Immunization Status - IPV


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	90.40%	96.44%
Medicaid	88.70%	93.92%

Pediatric Preventive Services Indicator
Childhood Immunization Status - MMR


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	92.80%	95.37%
Medicaid	89.50%	93.19%

Pediatric Preventive Services Indicator
Childhood Immunization Status - HiB


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	91.30%	95.37%
Medicaid	88.10%	92.70%

Pediatric Preventive Services Indicator
Childhood Immunization Status - Hepatitis B


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	85.40%	95.02%
Medicaid	88.00%	94.65%

Pediatric Preventive Services Indicator
Childhood Immunization Status - VZV


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	92.00%	95.02%
Medicaid	89.00%	93.43%

Pediatric Preventive Services Indicator
 Childhood Immunization Status - Pneumococcal conjugate


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	85.40%	90.39%
Medicaid	77.20%	82.97%

Pediatric Preventive Services Indicator Childhood Immunization Status - Hepatitis A


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	86.80%	89.05%
Medicaid	84.20%	91.67%

Pediatric Preventive Services Indicator
Childhood Immunization Status - Rotavirus


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	80.50%	86.73%
Medicaid	69.00%	76.16%

Pediatric Preventive Services Indicator Childhood Immunization Status - Influenza


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	64.50%	68.37%
Medicaid	45.30%	62.04%

Pediatric Preventive Services Indicator
 Childhood Immunization Status - Combination 2


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	78.50%	87.90%
Medicaid	73.00%	80.29%

Pediatric Preventive Services Indicator
 Childhood Immunization Status - Combination 3


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	76.50%	85.46%
Medicaid	69.70%	77.13%

Pediatric Preventive Services Indicator
 Childhood Immunization Status - Combination 10


MQIC Community Rate
 HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	51.00%	62.24%
Medicaid	33.30%	49.88%

Pediatric Preventive Services Indicator
Lead Screening in Children


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Medicaid	67.60%	85.83%

Substance Use Disorders Indicator
Initiation of Alcohol and Other Drug Dependence Treatment


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	33.50%	43.77%
Medicare	32.70%	62.60%

Substance Use Disorders Indicator Engagement of Alcohol and Other Drug Dependence Treatment


MQIC Community Rate
HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	11.30%	12.36%
Medicare	3.60%	8.73%

Tobacco Control Indicator Advising Smokers and Tobacco Users to Quit


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	75.10%	81.82%
Medicaid	76.20%	82.17%
Medicare	85.60%	91.89%

Tobacco Control Indicator Discussing Cessation Medications


MQIC Community Rate HEDIS® 2017



Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	42.90%	58.33%
Medicaid	44.10%	60.80%

Tobacco Control Indicator Discussing Cessation Strategies


MQIC Community Rate
HEDIS® 2017




Product	National HEDIS® 2017 Rate	MQIC Best Practice
Commercial	48.10%	50.65%
Medicaid	49.50%	51.63%

Tobacco Control Indicator
Percent Current Smokers

MQIC Community Rate
non-HEDIS 2017



Product	MQIC Best Practice
Commercial	7.17%
Medicaid	30.82%
Medicare	n/a



Please visit mqic.org to access the current Michigan Quality Improvement Consortium:

- [Clinical Practice Guidelines](#)
- [Measurement Specifications and Reports](#)
- [Physician Practice Tools](#)

Sign up [here](#) to receive notice when guidelines have been updated.

An MQIC mobile app for iOS and Android devices is available in the Apple Store and Google Play. Search MQIC.