

Michigan Quality Improvement Consortium

2009 Annual Performance Measurement Report

April, 2010

Table of Contents

Executive Summary	Page 3
Adult Preventive Services	Pages 4-6
Asthma	Pages 7-12
Acute Bronchitis	Page 13
Chronic Kidney Disease (GFR)	Page 14
Depression	Pages 15-16
Diabetes	Pages 17-30
Hypercholesterolemia	Pages 31-33
Hypertension	Pages 34-35
Low Back Pain	Pages 36
Pediatric Preventive Services	Pages 37-45
Pharyngitis	Page 46
Prenatal and Postpartum Care	Pages 47-48
Substance Use Disorders	Pages 49-50
Tobacco Control	Pages 51-53

Executive Summary


The Michigan Quality Improvement Consortium (MQIC) is committed to improving health care outcomes for Michigan residents. There are currently 13 Michigan health plans that participate in MQIC, touching the lives of over 6.5 million residents in the State.

One aspect of membership is that the plans provide their rates on National Committee Quality Assurance (NCQA) HEDIS® measures to the consortium. These plans also provide performance results on other measures for which the MQIC Measurement Workgroup has defined specific data elements for reporting, and these measures are identified on the following slides as non-HEDIS®. There are few occasions in which a plan is unable to submit a result for a specific measure.

Our health plans have Commercial, Medicaid, and Medicare products. Once data is received from the participating plans, where applicable, a MQIC community rate is calculated for each of the three products. The rate is calculated using a weighting system which provides the ability to account for each of our plans' population, and not to only provide an average.

There are over 110 measures that are reported on an annual basis, and a national HEDIS® result is provided for benchmarking in order to identify opportunities for improvement. Of the measures where comparisons can be made, the MQIC community results realized improvement in over 80%, and 40 measures show improvement of greater than 3%.


Adult Preventive Services Indicators Commerical Members - MQIC Community Rate HEDIS 2008 - 2009



*age range specification change HEDIS® 2009

HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Chlamydia Screening 21-24 yrs	43.50%	48.52%
Colorectal Cancer Screening	58.70%	73.16%
Cervical Cancer Screening	80.00%	92.66%
Breast Cancer Screening	70.20%	82.30%
Flu Shots 50-64 yrs	49.80%	55.01%


Adult Preventive Services Indicators Medicaid Members - MQIC Community Rate HEDIS 2008 - 2009




*age range specification change HEDIS® 2009

HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Chlamydia Screening 21-24 yrs	59.40%	76.50%
Cervical Cancer Screening	66.00%	81.25%
Breast Cancer Screening	50.80%	63.00%

Adult Preventive Services Indicators Medicare Members - MQIC Community Rate HEDIS 2006 - 2009




HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Colorectal Cancer Screening	53.10%	79.57%
Breast Cancer Screening	68.00%	90.21%
Flu Shot for Older Adults 65+ (FSO)	n/a	76.80%



*2005 - Specification Change

HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Appropriate Asthma Medications 5 - 9 Years Old	96.90%	97.46%
Appropriate Asthma Medications 10 - 17 Years Old	93.60%	98.51%


Asthma Medication Indicators Commercial Members - MQIC Community Rate HEDIS 2000 - 2009



*2005 - Specification Change

HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Appropriate Asthma Medications 18 - 56 Years Old	91.10%	97.05%
Appropriate Asthma Medications All Ages 5-56 years	92.40%	97.84%


Asthma Medication Indicators Medicaid Members - MQIC Community Rate HEDIS 2000 - 2009



*2005 - Specification Change

HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Appropriate Asthma Medications 5 - 9 Years Old	92.00%	97.58%
Appropriate Asthma Medications 10 - 17 Years Old	89.10%	96.51%


Asthma Medication Indicators Medicaid Members - MQIC Community Rate HEDIS 2001 - 2009




*2005 - Specification Change

HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Appropriate Asthma Medications 18 - 56 Years Old	85.20%	91.45%
Appropriate Asthma Medications All Ages 5-56 years	88.70%	94.33%

Non-HEDIS Asthma Indicator ER visits for Asthma per 1000 Asthma members Reporting Years 2001 - 2008




Product	Reporting Year 2008 Results	MQIC Best Practice
Commercial	94.66	36.53
Medicaid	230.32	54.90




Product	Reporting Year 2008 Results	MQIC Best Practice
Commercial	92.74%	96.62%
Medicaid	82.13%	100.00%

Bronchitis Indicator Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis MQIC Community Rates HEDIS 2009




Product	Nat'l HEDIS 2009 Results	MQIC Best Practice
Commerical	24.60%	26.20%
Medicaid	25.80%	34.39%

Non-HEDIS Chronic Kidney Disease Indicator Percent Members in Diabetes or Hypertension populations who had a GFR test MQIC Community Rate Reporting Year 2008



Product	Reporting Year 2008 Results	MQIC Best Practice
Commercial	87.21%	93.29%
Medicaid	75.26%	96.74%
Medicare	89.92%	93.25%


Depression Indicators Commercial Members - MQIC Community Rate HEDIS 2003 - 2009



*Measure retired for HEDIS 2009

HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Antidepressant Medications, Optimal Contacts	retired	retired
Antidepressant Medications, Effective Acute Treatment Phase	63.10%	67.57%
Antidepressant Medication, Effective Continuation Treatment Phase	46.30%	50.64%


Depression Indicators Medicare Members - MQIC Community Rate HEDIS 2006 - 2009



*Measure retired for HEDIS 2009


HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Antidepressant Medications, Optimal Contacts	retired	retired
Antidepressant Medications, Effective Acute Treatment Phase	62.50%	81.48%
Antidepressant Medication, Effective Continuation Treatment Phase	49.30%	59.04%

Non-HEDIS Diabetes Indicator Statin Therapy MQIC Community Rates Reporting Years 2006 - 2008



Measure/Product	Reporting Year 2008 Results	MQIC Best Practice
Prescription Filled for Statin Drug - Commercial	64.58%	66.32%
Prescription Filled for Statin Drug - Medicaid	59.24%	72.92%
Prescription Filled for Statin Drug - Medicare	70.62%	73.18%


Non-HEDIS Diabetes Disease Burden Indicators* Commercial Members - MQIC Community Rate Reporting Years 2002 & 2007



*Results to be reported every 5 years - due with HEDIS 2013

Measure	Reporting Year 2007 Results	MQIC Best Practice
Acute Myocardial Infarction/1000 Diabetic Members	6.33	5.90
Cerebrovascular Accident/1000 Diabetic Members	6.15	3.04
Amputation/1000 Diabetic Members	1.49	1.07
Dialysis/1000 Diabetic Members	6.61	6.10


Non-HEDIS Diabetes Disease Burden Indicators* Medicaid Members - MQIC Community Rate Reporting Year 2007



*Results to be reported every 5 years - due with HEDIS 2013

Measure	Reporting Year 2007 Results	MQIC Best Practice
Acute Myocardial Infarction/1000 Diabetic Members	13.01	5.11
Cerebrovascular Accident/1000 Diabetic Members	21.01	9.31
Amputation/1000 Diabetic Members	5.86	3.00
Dialysis/1000 Diabetic Members	21.10	13.00


Non-HEDIS Diabetes Disease Burden Indicators* Medicare Members - MQIC Community Rate Reporting Year 2007




*Results to be reported every 5 years - due with HEDIS 2013

Measure	Reporting Year 2007 Results	MQIC Best Practice
Acute Myocardial Infarction/1000 Diabetic Members	20.45	20.40
Cerebrovascular Accident/1000 Diabetic Members	9.90	4.76
Amputation/1000 Diabetic Members	3.51	3.60
Dialysis/1000 Diabetic Members	14.38	14.60

Diabetes Indicators Commercial Members - MQIC Community Rate HEDIS 2001 - 2009




HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Retinal Exams	56.50%	75.00%
Glycosylated Hemoglobin Testing	89.00%	95.25%



*2007 LDL-C Screening Specification Change

HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Glycosylated Hemoglobin Poor Control (>9.0%)	28.40%	14.63%
LDL-C Testing	84.80%	90.68%


Diabetes Indicators Commercial Members - MQIC Community Rate HEDIS 2001 - 2009



*2007 Medical Attention for Nephropathy Specification Change


HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Nephropathy Monitoring	82.40%	90.31%
LDL-C Control < 100	45.50%	56.12%

Diabetes Indicators Commercial Members - MQIC Community Rate HEDIS 2007 - 2009




HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
BP Control <140/90	65.60%	77.70%
BP Control <130/80	33.40%	46.07%

Diabetes Indicators Medicaid Members - MQIC Community Rate HEDIS 2001 - 2009



HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Retinal Exams	52.80%	70.90%
Glycosylated Hemoglobin Testing	80.50%	92.72%


Diabetes Indicators Medicaid Members - MQIC Community Rate HEDIS 2001 - 2009



*2007 LDL-C Screening Specification Change


HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Glycosylated Hemoglobin Poor Control (>9.0%)	44.80%	24.80%
LDL-C Testing	74.10%	85.06%

Diabetes Indicators Medicaid Members - MQIC Community Rate HEDIS 2007 - 2009




HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
BP Control <140/90	56.90%	73.56%
BP Control <130/80	30.70%	42.91%

Diabetes Indicators Medicaid Members - MQIC Community Rate HEDIS 2001 - 2009



*2007 Medical Attention for Nephropathy Specification Change


HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Nephropathy Monitoring	76.60%	87.36%
LDL-C Control < 100	33.80%	47.51%



*2007 LDL-C Screening & Medical Attention for Nephropathy Specification Changes


HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Retinal Exams	60.80%	85.13%
Glycosylated Hemoglobin Testing	88.30%	96.90%
Glycosylated Hemoglobin Poor Control (>9.0%)	29.40%	7.30%
LDL-C Testing	86.30%	95.80%
LDL-C Control < 100 mg/dL	48.70%	68.61%
Nephropathy Monitoring	87.90%	94.71%

Diabetes Indicators Medicare Members - MQIC Community Rate HEDIS 2007 - 2009




HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
BP Control <140/90	59.50%	78.47%
BP Control <130/80	31.80%	53.65%

Hypercholesterolemia Indicator Cholesterol Management for Patients with Cardiovascular Conditions LDL-C Screening MQIC Community Rates




Product	Nat'l HEDIS 2009 Results	MQIC Best Practice
Commercial	88.90%	93.75%
Medicaid	79.60%	88.14%
Medicare	88.60%	95.91%

Hypercholesterolemia Indicator Cholesterol Management for Patients with Cardiovascular Conditions LDL-C Control < 100 mg/dL MQIC Community Rates HEDIS 2007 - 2009




Product	Nat'l HEDIS 2009 Results	MQIC Best Practice
Commerical	59.70%	64.29%
Medicaid	40.10%	65.79%
Medicare	56.70%	70.61%

Non-HEDIS Hypercholesterolemia Indicator Statin Therapy for Persons with Cardiovascular Conditions Reporting Years 2006 - 2008




Product	Reporting Year 2008 Results	MQIC Best Practice
Commercial	79.36%	80.49%
Medicaid	69.83%	89.19%
Medicare	79.64%	82.67%

Hypertension Indicator Controlling High Blood Pressure MQIC Community Rates HEDIS 2004 - 2009




Product	Nat'l HEDIS 2009 Results	MQIC Best Practice
Commercial	63.40%	71.01%
Medicaid	55.80%	68.52%
Medicare	58.80%	73.33%

Non-HEDIS Hypertension Indicator Percent Members with any Diagnosis of Hypertension MQIC Community Rates Reporting Years 2005 - 2008




Product	Reporting Year 2008 Results	MQIC Best Practice
Commercial	15.69%	9.87%
Medicaid	11.11%	7.56%
Medicare	40.37%	28.41%


Low Back Pain Indicator (Proportion for whom imaging studies did not occur) MQIC Community Rates HEDIS 2009




Product	Nat'l HEDIS 2009 results	MQIC Best Practice
Commercial	73.10%	80.23%
Medicaid	75.70%	84.03%




HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
DTaP/DT	87.20%	93.39%
IPV	92.10%	97.82%
MMR	93.50%	100.00%
Hib	94.80%	99.13%
Нер В	91.80%	97.82%




HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
VZV	92.00%	91.76%
Pneumococcal	84.80%	95.20%
Combo 2	81.20%	89.52%
Combo 3	76.60%	88.21%




HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
DTaP/DT	78.60%	90.05%
IPV	87.90%	97.12%
MMR	90.90%	95.85%
Hib	93.40%	98.72%
Нер В	88.30%	97.76%






HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
VZV	89.70%	95.37%
Pneumococcal	75.60%	87.54%
Combo 2	73.70%	88.66%
Combo 3	67.60%	82.41%

Pediatric Preventive Services Indicator Well-Child Visits in the First 15 Months of Life (6+ visits) MQIC Community Rates HEDIS 2008 - 2009




Product	Nat'l HEDIS 2009 Results	MQIC Best Practice
Commerical	75.20%	87.21%
Medicaid	58.80%	87.59%






HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Lead Screening in Children	66.70%	85.05%

Pediatric Preventive Services Indicator Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life MQIC Community Rates HEDIS 2008 - 2009




Product	Nat'l HEDIS 2009 Results	MQIC Best Practice
Commerical	69.80%	82.55%
Medicaid	69.70%	78.03%

Pediatric Preventive Services Indicator Adolescent Well-Care Visits MQIC Community Rates HEDIS 2008 - 2009




Product	Nat'l HEDIS 2009 Results	MQIC Best Practice
Commerical	42.90%	53.77%
Medicaid	45.90%	62.29%

Pediatric Preventive Services Indicator Chlamydia Screening in Women (16 - 20 Years) MQIC Community Rates HEDIS 2008 - 2009




Product	Nat'l HEDIS 2009 Results	MQIC Best Practice
Commerical	40.10%	50.09%
Medicaid	52.70%	68.79%

Acute Pharyngitis Indicator Appropriate Testing for Children with Acute Pharngitis, ages 2-18 MQIC Community Rates HEDIS 2004 - 2009




Product	Nat'l HEDIS 2009 Results	MQIC Best Practice
Commercial	75.60%	76.75%
Medicaid	61.40%	83.60%

Prenatal and Postpartum Care Indicator Timeliness of Prenatal Care: Within 1st trimester or 42 days after enrollment MQIC Community Rates HEDIS 2008 - 2009




Product	Nat'l HEDIS 2009 Results	MQIC Best Practice
Commerical	92.40%	96.59%
Medicaid	81.90%	90.38%

Prenatal and Postpartum Care Indicator Postpartum Care: Visit between 21-56 days after delivery MQIC Community Rates HEDIS 2008 - 2009




Product	Nat'l HEDIS 2009 Results	MQIC Best Practice
Commerical	82.80%	92.46%
Medicaid	62.70%	75.49%

Substance Use Disorders Indicators Commercial Members - MQIC Community Rate HEDIS 2004 - 2009




HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Initiation of Alcohol & Other Drug Dependence	42.40%	53.26%
Treatment		
Engagement of Alcohol & Other Drug Dependence	16.20%	22.94%
Treatment		

Substance Use Disorders Indicators Medicare Members - MQIC Community Rate HEDIS 2006 - 2009



Measures	Nat'l HEDIS 2009 Results	MQIC Best Practice
Initiation of Alcohol & Other Drug Dependence	45.90%	74.47%
Engagement of Alcohol & Other Drug Dependence Treatment	4.30%	8.51%


Tobacco Control Indicators Commercial Members - MQIC Community Rate HEDIS 2007 - 2009



Measure


HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Advising Smokers to Quit	76.70%	88.55
Discussion of Smoking Cessation Medications	54.40%	71.34
Discussion of Smoking Cessation Strategies	49.70%	62.58

Tobacco Control Indicators Medicaid Members - MQIC Community Rate HEDIS 2007 - 2009



HEDIS Measure	Nat'l HEDIS 2009 Results	MQIC Best Practice
Advising Smokers to Quit	69.30%	78.21%
Discussion of Smoking Cessation Medications	40.60%	53.31%
Discussion of Smoking Cessation Strategies	40.80%	53.96%

Non-HEDIS Tobacco Control Indicator Percent Current Smokers MQIC Community Rates Reporting Years 2006-2008



Product	Reporting Year 2008 Results	MQIC Best Practice
Commercial	15.23%	10.70%
Medicaid	53.67%	40.34%
Medicare	8.90%	n/a



Please visit mqic.org to access the Michigan Quality Improvement Consortium's clinical practice guidelines, measurement specifications, and other valuable physician practice tools and information.